



BaoFeng GT-3 Mark II Two-Way Radio, Dual Band UHF/VHF 136-174/400-520MHz with 23CM High Gain Antenna and Car Charger

SKU:var_GT_3_Mark_II

[Email to a Friend](#)

Be the first to review this product

Like Tweet

Availability: In stock

\$48.99

[Add to Wishlist](#) | [Add to Compare](#)

Quick Overview

- 23CM High Gain Antenna allows GT-3 Mark II to transmit in 8KM
- Optimal SQL Setting
- Frequency Range: 65-108 Mhz(Only commercial FM radio reception) VHF: 136-174 Mhz(Rx/Tx). UHF: 400-520 Mhz(Rx/Tx)
- Selectable Frequency Step/2.5/5/6.25/10/12.5/25 kHz
- Function Busy Channel Lock "BCLO"
- Function "VOX" (Voice Operated Transmission), "OFFSET" (frequency offset for repeater access)

MORE VIEWS



*Voltage

Choose an Option...

* Required Fields

\$48.99 [Add to Wishlist](#)
[Add to Compare](#)

Qty: [Add to Cart](#)

-OR- [Check out with PayPal](#)

Description

Reviews

Payment

Shipping

2014 New Arrival-

Pofung
Two-way Radio

GT-3 Mark II.



Estimate Shipping

Enter your destination to get a shipping estimate.

Country*

Include Cart Items

Yes No

Related Products

Check items to add to the cart or [select all](#)



[Desktop Charger for BaoFeng GT-3](#)

\$8.99

[Add to Wishlist](#)



[Two Way Radio Protection Soft Case For BaoFeng UV-5R, UV5R+, UV-5RE Plus](#)

\$7.99

[Add to Wishlist](#)



[VHF 136-172MHz SGQ-150D 6 Cavity Duplexer N/BNC 30W for Radio-tone Repeater SQ](#)

\$99.99

[Add to Wishlist](#)



[UHF 380-485MHz SGQ-450 6 Cavity Duplexer N/BNC 30W for Radio-tone Repeater SQ](#)

\$99.99

[Add to Wishlist](#)



[50W UHF 380-485MHz SGQ-450D 6 Cavity Duplexer N/BNC for Radio-tone Repeater SQ](#)

\$99.99

[Add to Wishlist](#)



Make The Way For Two Way

- GT-3 Mark II
- Custom INF-641 High-Gain Antenna
- Optimal SQL Setting
- With Car Charger
- Kernel Upgrade

VHF/UHF Dual-Standby	128 Channels Storage	FM 66-108MHz(RX)	Key Lock feature	Long Range TX/RX	LED Flash Light

Product Description



Make The Way For Two Way

SainSonic INF-641 Antenna

SainSonic INF-641 Antenna which is flexible, lightweight, fine shape. The most valuable is it enhance the Gt-3's good ability of transmitting and receiving signals, allow you to get longer range on your handheld radio significantly. While, under such a high-power operation of the radio, the antenna is not as hot as the other models of radios, everything is under a good operating condition.

SainSonic AD-10 car charger

We also equip a SainSonic AD-10 car charger, whether you travel by car or hiking, nothing to worry about battery life, this car charger is also compatible with a variety of models such as UV-5R/UV-82/GT-3/888s/GT-1/BF-F8+/UV-B6 Dual Band Radio

Product Design

Big buttons and knob:

Tired of squinting to see the buttons on your radio or taking off your gloves to operate? Worry no more with the enlarged buttons and power knob. This is certain to improve the overall functionality of your Mark II. Consistent with people's operating habits, the Mark II has built in PTT key, CALL key, and MONI key on the left side of the radio.



BaoFeng GT-3 Mark II Kit
136-174/400-520MHz, +
Programming Cable
\$54.99
[Add to Wishlist](#)

Most Viewed Products



Bluetooth Keyboard
Ultrathin Detachable
Case for iPad Mini *Red*
\$29.99



SainSonic GS8.2E
Ultrasonic Liposuction
Cavitation Slimming
Machine
\$299.00



SainSonic SSZ-200DLB
144HZ 3D Active
Rechargeable Shutter
Glasses for DLP-Link
Projectors *Black*
\$22.99



SainSonic Haze SS-H10
500ML Ultrasonic Air
Humidifier Aroma
Diffuser
\$39.99



SainSonic 144HZ 3D
Rechargeable Active
Shutter Glasses For
BenQ W1070 W1080T
W1500
\$22.99

Community Poll



Antenna Interface:

Fine copper-made antenna connector outperforms other antenna connectors and improves communication. Don't let the rain keep you from using your radio. The waterproof ring ensures a tight seal to keep your radio dry on those rainy days.

What is your TV brand?

- Sony
- Sharp
- Samsung
- Panasonic
- Toshiba
- LG
- Haier
- Others

Product Details

Details Define Quality



Radio Frequency IC

- Upgrade SQ to enhance the anti-interference ability
- RDA1846S add an new tail tone elimination function,when transmit and receive signal between 50Hz with 55H
- Improve the receiver AGV switching noise when signal strength changes severe

Frequency-Modulated Receiver Chip

The RDA5802N has a powerful low-IF digital audio processor, this make it have optimum sound quality with varying reception conditions



Power Amplifier IC

- Low crossover distortion
- Low quiescent circuit current

LED Flashlight

high lumens degrees

Shell

Upgrade Dustproof, waterproof and drop resistance ability

Radio Frequency IC

Frequency-Modulated Receiver Chip

Power Amplifier IC

LED Flashlight

GT-3

UV-5R

Product Function



Functions:

1. Frequency Range:
136-174 / 400-479.995 MHz
2. Dual-Band Display, Dual Freq. Display, Dual-Standby
3. Output Power: 4 /1Watts
4. 128 Channels 50 CTCSS and 104 DCS
5. Built-in VOX Function
6. 1750Hz Brust Tone
7. FM Radio (65.0MHz-108.0MHz)
8. LED Flashlight
9. Large LCD Display
10. High /Low RF Power Switchable
11. 25KHz/12.5KHz Switchable
12. Emergency Alert
13. Low Battery Alert
14. Battery Saver
15. Time-out Timer
16. Keypad Lock
17. Monitor Channel
18. Channel Step:
2.5/5/6.25/10/12.5/25KHz
19. ROGER SET

Product Content



Package Content

- Baofeng GT-3 Two-Way Radio**
2014 brand new model, powerful two-way radio
- 7.4V 1800mAh Li-ion Battery**
Longer battery life, stand by over 3 days
- Antenna 136-174/400-519.995Mhz**
Receive/ transmit signal stability, higher quality connection
- Earphone Mic/Headset**
Important accessory, hands-free for using radio anytime
- Belt Clip**
PC+ABS, safe and anti-slipping, convenient for Carry
- Hand Strap**
Double guarantee for preventing the radio drop down
- GT-3 User Manual**
Color printing, convenient for reading the manual
- Adapter(EU, UK, US, AU)**
Will pack the appropriate plug according to shipping address
- Desktop Charger (100V ~ 240V)**
Original Baofeng manufacturer, good quality
- SainSonic Car Charger (12V-24V)**
DC Connector, compatible with varieties of models

Operating Environment

Meet your needs in various operating environments



Cold-proof

Even temperature is more than ten degrees below zero also can use normally



Dustproof

Adapt to any dusty environment



Waterproof

Enjoy walking in the rain



Portable, driving

Climbing also can use



Anti-interference

Signal is strong and not afraid of tall buildings



Wilderness Explorer

Safe and happy roaming in woods, looking into unknown horizon, or seeking in illusions



Hotel

Providing stable safeguard of commercial place and house building.



Security

High quality and professional setting with ANI code identification. Omni-directional rapid communication

Talking Range



The maximum effective talking range is up to **8KM** (5 Miles) from peak to valley.



Average distance is up to 5KM (3 Miles) in open area.







The range is up to 3KM (1.6 Miles) in downtown with skyscrapers.



The above distance is SainSonic official laboratory test data in an ideal environment; the actual talking range should be based on different operating environment.

You may also be interested in the following product(s)

 <p>RA-60C SWR HF Vector Impedance Antenna Analyzer Optimized \$328.00</p> <p>2 Review(s) Add Your Review</p>	 <p>RA-3505B SWR Vector Cable Antenna Analyzer for Smartphone Android \$389.00</p> <p>2 Review(s) Add Your Review</p>	 <p>AW07A SWR HF/VHF/UHF Antenna Impedance Analyzer \$356.00</p>	 <p>SainSonic INF-641 144/430MHz 23CM SMA Female 2.15dBi Dual \$12.99 As low as: \$9.50</p>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Product Tags

Add Your Tags:

 Submit

Use spaces to separate tags. Use single quotes (') for phrases.